

ASSIGNED

Nº 41181

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office APR 28 1980
 Returned to applicant for correction JUN 16 1980
 Corrected application filed _____
 Map filed JUL 2 1980

The applicant Kiddie Care
9210 Wigwam Way, of Reno,
Street and No. or P.O. Box No. City or Town
Nevada 89506, hereby make application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.) Clarence E. Price, Loretta K. Price, and Shirley L. Lloyd

1. The source of the proposed appropriation is Underground
Name of stream, lake or other source.
2. The amount of water applied for is 0.20 cfs-estimated usage will not exceed 1400 gal. Per. Day
One second-foot equals 448.83 gals. per min. second-foot
 (a) If stored in reservoir give number of acre-feet _____ acre-feet
3. The water to be used for Commercial and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated) _____
 - (b) Stockwater (state number and kinds of animals to be watered) _____
 - (c) Other use (describe fully under "No. 12. Remarks") _____
 - (d) Power:
 - (1) Horsepower developed _____
 - (2) Point of return of water to stream _____
5. The water is to be diverted from its source at the following point: SW1/4 NW1/4 of Section 8, T20N, R19E, M.D.M. or at a point from which the Northwest corner of
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
said Section 8 bears N 9°38'W, 1788 feet, distant.
6. Place of use A portion of the SW1/4 of the NW1/4 of section 8, T20N, R19E, M.D.M.
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) well, pump and holding tank
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$5000.00
10. Estimated time required to construct works one and half years
11. Estimated time required to complete the application to beneficial use one year
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Water will be used for a day care center with seven toilets,
seven sinks, and two urinals.

Applicant Clarence E. Price for Kiddie Care

By s/Clarence E Price

9210 Wigwam Way

Compared bl/ja

gk/bc

Reno, Nevada 89506

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit is for commercial and domestic use to support a child day care center only and is issued as a preferred use in the interest of the public welfare under the provisions of NRS 534.120, Section 2.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.1 cubic feet per second, but not to exceed 0.511 million gallons annually.

Actual construction work shall begin on or before November 15, 1981

Proof of commencement of work shall be filed before December 15, 1981

Work must be prosecuted with reasonable diligence and be completed on or before November 15, 1982

Proof of completion of work shall be filed before December 15, 1982

Application of water to beneficial use shall be made on or before November 15, 1984

Proof of the application of water to beneficial use shall be filed on or before December 15, 1984

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN
Completion of work filed State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed my office, this 15th day of MAY
Cultural map filed
Certificate No. Issued A.D. 1981

CANCELLED JAN 17 1983
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT